

## 39" Helix Fountain | Installation Information

If you are thinking about buying, or are ready to install a Helix Fountain, here are all the components you need for a simple, recirculating set-up. Let's take a closer look at how this works:

### One | Helix Fountain

**Two | Accessories** - There are 3 basic components we sell individually that complete the setup:



1. FOUNTAIN INSTALLATION RESERVOIR, 44" SQUARE this holds the water under the fountain, think of this as a hidden pool. It holds approximately 60 gallons of water. [More information.](#)



2. SUBMERSIBLE PUMP, 1320GPH submersible pump (plugs into a 110V electrical outlet) The pump is connected to flexible hosing that pushes the water up through the fountain. We recommend the outlet be no closer to the reservoir than 4 feet. This pump is offered in 10 foot electric cord length, plan accordingly. [More information.](#)



3. PEBBLES, Six (6) bags of our Mexican Beach Pebbles will be required for this installation. This will cover 24 square feet. They hide the reservoir underneath for a seamless, "disappearing" effect. [More information.](#)

**Three | Location** Find a nice spot in your yard where you'd like to showcase your snazzy new fountain. You'll be digging a hole into the dirt in this area, so make sure it's not a hard surface like a patio or concrete pad (unless you love jack-hammering!), or an extremely root-ridden area right next to an ancient, gnarly tree.

### Installation Guide

First install the Fountain Installation Reservoir 44" Kit with provided installation instructions. [More information.](#)

Once your reservoir is installed double check to make sure it is level. Put the pump in the reservoir. Place the pump access door on the side nearest the power supply. Run the pump power cord out the side, under the edge of the cover. Put all covers in place.

- Place the stone fountain on the pedestal in the center of the reservoir and level it using plastic shims.
- Line up the center drill hole of the fountain when setting in place. Using plastic shims, level between the fountain and reservoir.
- Next, push the hose down, plug side up, through the drill hole. The plug should seal flush at the top of the drilling.
- Once the fountain is in place (and level) reach into the reservoir and pull the hose end to connect it to the pump. Hide or bury the pump's electric cord as necessary (or as advised by your electrician).
- Fill your reservoir with water, plug the pump in. View the waterflow. You may have to shim one last time to get full, even water coverage. Add mineral and algae additives to the water (may be purchased through us). Cover the reservoir with the smooth beach pebbles. III



*VOILA! Grab a drink and lounge chair. Prepare to be relaxed by the soothing sounds of your new fountain.*